





# CLASSIK Music

## SPECIFICATION

A high quality, all-in-one audio system with extensive multi-room system capabilities

### KEY FEATURES INCLUDE

- I Superb audio sonic performance from its high quality CD engine and CD pickup
- I AM/FM Tuner with 80 station presets and adjustable threshold control
- I High powered power amplifier (75W into 4 ohms) with two sets of speaker sockets per channel
- I Pre-amplifier with two external line level audio outputs, a record output, an external pre-amplifier output and a CD digital output
- I Plug and play multi-room capability that enables a CLASSIK Music to be DIY installed and connected to up to four additional CLASSIKs
- I Complete Linn KNEKT multi-room capability that enables a CLASSIK Music to operate as a main room driver or a local room receiver within a Linn KNEKT system

The CLASSIK Music is a high quality, all-in-one system with compact CD player, AM/FM tuner and amplifier with two distributed audio functions designed to deliver power, performance and perfect sound to any room of the house.


Packed full of features and providing superb sound quality and remarkable value for money, the CLASSIK Music combines high quality CD and radio sources, a very flexible control system and powerful stereo amplification in a single, discreet and compact package.

The CLASSIK Music provides a simply installed multi-room audio system solution, by connecting a single unit in your main room to up to four additional units with pre-terminated CAT5 cable. This enables a secondary room CLASSIK to automatically receive and control sound from the main room CLASSIK in addition to control of the local CLASSIK sources.


For even greater flexibility the CLASSIK Music provides full Linn KNEKT multi-room capability via an optional Room Control Unit installed and programmed by a qualified Linn custom installer.

For optimum sound performance, the CLASSIK Music can be partnered with the dedicated CLASSIK speaker package which includes the CLASSIK UNIK full-range, high fidelity loudspeakers, the CLASSIK AFEKT 330W bass extension loudspeaker and a range of matching accessories.

Available in a choice of five colours - silver, Koral blue, Arctik white, Baltik green and black - the Linn CLASSIK Music represents outstanding value for money, making Linn market-leading sound quality even better value.



1



2



3

# CLASSIK Music

## TECHNICAL SPECIFICATION

A high quality, all-in-one audio system with extensive multi-room system capabilities

■	Introduced	2001
■	Dimensions	H 80mm x W 320mm x D 325mm H 3.1 inches x W 12.6 inches x D 12.8 inches
■	Weight	6kg / 13.23lbs
■	Power consumption	325W maximum in normal operating mode 25W typical use <7W in standby
■	Mains supply	Nominal voltage $\pm 10\%$
■	Distributed audio	4 x RJ45 sockets
■	Tuner	FM Aerial – 1 f-type terminal AM Aerial – 2 screw type terminals
■	Pre-amplifier	8 phono sockets
■	CD engine	Focus system: triple beam laser pick up Conversion technology: Delta Sigma
■	Tuner range	USA: FM 87.5 to 108.5MHz, AM 530 to 1730kHz, Japan: FM 77.5 to 108.5MHz, AM 530 to 1730kHz, Europe: FM 87.5 to 108.5MHz, AM 522 to 1611kHz
■	Tuning resolution	FM TUNE mode: 50kHz, FM SCAN mode: 100kHz, AM TUNE mode: 1kHz, AM SCAN mode: 10kHz USA, 9kHz Japan and Europe
■	Presets	80 user definable presets
■	Signal strength	0 to 50 scale
■	Pre-amplifier inputs	Tape/Aux1/Aux2: $-10\text{dBV}$ (sensitivity) 100 ohms (input impedance)
■	Outputs	Tape output equal to all input levels Digital output: CD Digital output on back panel Output impedance: 100 $\Omega$ Preamp output: volume range $\infty$ to $+10\text{dB}$ Output impedance: 150 $\Omega$
■	Headphone	Output impedance: $<8 \Omega$ Output level: same as preamp output Output current limit: 60mA Load impedance: 8 $\Omega$ to 2 $\Omega$
■	Power amplifier	Voltage gain 28.5dB
■	Power output	75W RMS per channel into 4 $\Omega$ (nominal mains)
■	Multi-room	RCU socket: allows connection of a Linn Remote Control Unit. Room In: allows connection of balanced audio and communication between other CLASSIKs or the Linn KNEKT system. Room 1-4: allows connection of balanced audio and communication between other CLASSIKs or the Linn KNEKT system. IR Flasher 1 and 2: allows connection of an IR diode to allow control of other equipment. 6mA constant current output. Modulation frequency can be varied from 20kHz to 450kHz

The above information is subject to change without prior notice.

### Linn Products Ltd

Floors Road, Waterfoot, Glasgow G76 0EP, Scotland, UK.

Telephone: +44 (0) 141 307 7777, Facsimile: +44 (0) 141 644 4262, Helpline: 0500 888909, E-mail: [helpline@linn.co.uk](mailto:helpline@linn.co.uk), Website: [www.linn.co.uk](http://www.linn.co.uk)

### Linn Products Inc

8787 Perimeter Park Boulevard, Jacksonville FL 32216, USA.

Telephone: +1 (904) 645 5242, Facsimile: +1 (904) 645 7275, Helpline: 888-671-LINN, E-mail: [helpline@linninc.com](mailto:helpline@linninc.com), Website: [www.linninc.com](http://www.linninc.com)

### Linn Deutschland GmbH

Albert-Einstein-Ring 19, 22761 Hamburg, Deutschland.

Telephone: +49 (0) 40-890 660-0, Facsimile: +49 (0) 40-890 660-29, E-mail: [info@linngmbh.de](mailto:info@linngmbh.de), Website: [www.linn.co.uk](http://www.linn.co.uk)

### Linn Records Ltd

Floors Road, Waterfoot, Glasgow G76 0EP, Scotland, UK.

Telephone: +44 (0) 141 303 5027, Facsimile: +44 (0) 141 303 5007, Helpline/Mail order: +44 (0) 141 303 5029, E-mail: [records@linn.co.uk](mailto:records@linn.co.uk), Website: [www.linnrecords.com](http://www.linnrecords.com)

© 2003, Linn Products Limited. All rights reserved.

Linn, the Linn logo, and CLASSIK are all trade marks of Linn Products Limited, registered in at least the UK and/or EU.

**Pack 615** (Revised 01/04)