





USA & International Patents Pending

Makers of TV Lifts

Adaptable. High Quality. Solid Construction.
Quiet Operation. Exclusive Features.
It's what we do, Lift TVs!



**Ascending, Descending,
and Traversing**




Flip-Down



Swivel



Bay



WWW.LIFTMYTV.COM
1-877-LIFT-MY-TV
(543-8698)



CUSTOM
ELECTRONIC
DESIGN &
INSTALLATION
ASSOCIATION

Member



Lift Models



Vista
LFT-01



Summit
LFT-02



Horizon
LFT-03



Peak
LFT-04



Pinnacle
LFT-05



Plateau
LFT-06



Crest
LFT-07



Ridge
LFT-08



Majestic
LFT-09



Olympic
LFT-11



Cascade
LFT-12



Vista Swivel
LFT-14



Summit Swivel
LFT-15



Horizon Swivel
LFT-16



Vista Bay
LFT-18




Summit Bay
LFT-19




Horizon Bay
LFT-20

Ascending, Descending, and Traversing Lifts

Great for Furniture and Custom Homes/Condominiums



A and B are the maximum width and height of TV that can fit.
C, D, and E are the lift's outer dimensions.



Specifications

Voltage/Amperage: 120/2.2 or 240/1.1

Versa-Mount™ Brackets: Ascending & Descending brackets included standard, a Traversing Bracket is also included upon request

Certifications: Underwriters Laboratories, Inc.

Frame Material: Black Coated Aluminum

Lift Control Options: 800 Series, 700 Series, or 600 Series

Cable Control Features: Wire Shield™, the Cable Guardian™ System

Quality Of Movement Function: Acu-Track™

Lift Model Number & Title	TV Window Height (A)	TV Window Width (B)	Overall Height (C)	Overall Width (D)	Overall Depth (E)	Maximum Weight Rating
LFT-01 (Vista)	13"	15.5"	21"	18"	5.25"	50 lbs.
LFT-02 (Summit)	17.5"	20"	25.5"	22.5"	5.25"	50 lbs.
LFT-03 (Horizon)	20"	25"	28"	27.5"	5.25"	75 lbs.
LFT-04 (Peak)	25"	30"	33"	32.5"	5.25"	75 lbs.
LFT-05 (Pinnacle)	25"	36.5"	33"	39"	5.25"	100 lbs.
LFT-06 (Plateau)	27"	43"	35"	45.5"	5.25"	100 lbs.
LFT-07 (Crest)	30.5"	48.5"	38.5"	51"	5.25"	100 lbs.
LFT-08 (Ridge)	29"	50"	37"	52.5"	5.25"	120 lbs.
LFT-09 (Majestic)	35.5"	60"	43.5"	62.5"	5.25"	120 lbs.




Flip-Down Lifts

Two Sizes to Fit all your In-Ceiling Needs



A and B are the maximum width and height of TV that can fit.
C, D, and E are the lift's outer dimensions.



Specifications

Voltage/Amperage: 120/2.2 or 240/1.1

Versa-Mount™ Brackets: Standard TV Mounting Arms

Certifications: Underwriters Laboratories, Inc.

Frame Material: Black Coated Aluminum

Lift Control Options: 800 Series, 700 Series, or 600 Series

Cable Control Features: Wire Shield™, the Cable Guardian™ System


Lift Model Number & Title	TV Window Height (A)	TV Window Width (B)	Overall Height (C)	Overall Width (D)	Overall Depth (E)	Maximum Weight Rating
LFT-11 (Olympic)	26"	48"	36"	54.75"	4.5"	100 lbs.
LFT-12 (Cascade)	18.5"	30"	28.5"	35.5"	4.5"	100 lbs.

Swivel Lifts

Great for the Kitchen, Office, Bedroom, or Bath



Swivel lifts only fit TVs with a VESA mounting configuration.
A, B, and C are the lift's outer dimensions.



Specifications

Voltage/Amperage: 120/2.2 or 240/1.1

Versa-Mount™ Brackets: Horizontal Swivel Bracket

Certifications: Underwriters Laboratories, Inc.

Frame Material: Black Coated Aluminum

Lift Control Options: 800 Series, 700 Series, or 600 Series

Cable Control Features: Wire Shield™, the Cable Guardian™ System

Quality Of Movement Function: Acu-Track™


Lift Model Number & Title	TV Window Height	TV Window Width	Overall Height (A)	Overall Width (B)	Overall Depth (C)	Maximum Weight Rating
LFT-14 (Vista-Swivel)	--	--	21"	18"	5.25"	100 lbs.
LFT-15 (Summit-Swivel)	--	--	25.5"	22.5"	5.25"	100 lbs.
LFT-16 (Horizon-Swivel)	--	--	28"	27.5"	5.25"	100 lbs.

Bay Lifts

These amazing lifts let you put your TV in a drawer.



A and B are the maximum width and height of TV that can fit.
C, D, and E are the lift's outer dimensions.



Specifications

Voltage/Amperage: 120/2.2 or 240/1.1

Versa-Mount™ Brackets: Hinged Bracket

Certifications: Underwriters Laboratories, Inc.

Frame Material: Black Coated Aluminum

Lift Control Options: 800 Series, 700 Series, or 600 Series

Cable Control Features: Wire Shield™, the Cable Guardian™ System

Quality Of Movement Function: Acu-Track™

Lift Model Number & Title	TV Window Height (A)	TV Window Width (B)	Overall Height (C)	Overall Width (D)	Overall Depth (E)	Maximum Weight Rating
LFT-18 (Vista-Bay)	13"	15.5"	21"	18"	5.25"	100 lbs.
LFT-19 (Summit-Bay)	17.5"	20"	25.5"	22.5"	5.25"	100 lbs.
LFT-20 (Horizon-Bay)	20"	25"	28"	27.5"	5.25"	100 lbs.

Features



Acu-Track™

Acu-Track™ technology moves your lift smoothly, with very little noise, up and down with a soft stop when it locks into place. (standard)



Versa-Mount™

Versa-Mount™ is a combination of brackets & mounting plates that can be used with any TV within your lift's size range. (standard)



Cable Guardian™

Our guide-rail consistently and unerringly guides your cables from lifted to hidden positions without any tangling or upset. (standard)



Coated Aluminum

Solid, light-weight aluminum construction ensures that your lift will stand the test of time. The color is a coated jet black. (standard)




Universal Screw Kit

This universal mounting kit has 12 sets of screws that enable you to mount any correctly sized LCD or plasma TV to your lift. (optional)



Wire-Shield™

These arched bands hide the wires that connect your TV to other audio/video components from view and protect them. (optional)



Control Boxes

800 Series:
Switched TV Plug. Wired Remote, Safety Interlock, IR, and RF ready.

700 Series:
Switched TV Plug. Wired Remote, Safety Interlock, and IR ready.

600 Series:
Switched TV Plug. Wired Remote and Safety Interlock ready.



RF Remote

This radio frequency remote control only works with the 800 Series control box. Features two operational modes. (optional)



Wired Remote

This surface mounted wired remote works with any control box. Wire length options: 10 ft., 25 ft., or 50 ft. (optional)



IR Receiver

To use an IR (infrared) remote control with your lift, you will need a 700 or 800 Series control box and this IR receiver. (optional)



Top Foot Caps

These caps allow you to attach a piece of surfacing to the top of your lift. They can also be useful with flip-down lift models. (optional)



Bumper Caps

These caps allow you to put a piece of surfacing on hinges, they smoothly move the hinged surface out of the way as the lift moves. (optional)