

**Enjoy your time with UASIS's Bathroom TV, CVBTV-700WR.
It gives you more than you expected.**

UASIS stands for ubiquitous Oasis and it represents our will to make human hearted digital world caring human dreams and hopes.







Easy installation & operation
Modernized and simple design

Qualified product reliability with IP 65 for bathroom TV and IP X7 for remote controller.
Built-in stereo speakers save a time and space while installation.





ITEM	SPECIFICATIONS
TV Signal Interface	Analog TV Interface
Display Area	7" Diagonal
Power Consumption	Max 12W
Power Requirement	AC 100 ~ 240V, 50/60Hz
Television System	PAL BG / I / DK
Tuning Range	VHF LOW : 45.25MHz ~ 147.25MHz VHF HIGH : 154.25MHz ~ 463.25MHz UHF : 471.25MHz ~ 863.25MHz CATV : 48.25MHz ~ 463.25MHz
Antenna Input Impedance	75 Ohm UNBALANCE TYPE FOR VHF/UHF
IF Frequency	Picture : 38.9MHz Sound : 33.4MHz
Speaker Impedance	8 Ohm
Sound Output	0.5W + 0.5W (MAXIMUM)

Tel +82-2-3456-9858

Fax +82-2-539-5810

Email brent@uasis.com

Website www.cvnet.co.kr/english/main.html

The company's policy of continual product improvement, that is, specifications can be modified without prior notice. Please contact to brent@uasis.com for more information.